



Safety Blank



Fuchs Rail to Rail



Fuchs + Heinemann
Adaptor Plate



Handle Lock

MCB Accessories

MCB Accessories


Mini Rail		H2		
Product	Description	Std Pack	Price ea.	Order No.
QA, QF	Shroud - 2 x 13 mm / 1 x 26 mm*	10	58.00	3670093
QA, QF	Shroud - 4 x 13 mm / 2 x 26 mm*	10	97.00	3670095
QA, QF	Shroud - 6 x 13 mm / 3 x 26 mm*	10	120.00	3670097
QA, QF	Shroud - 8 x 13 mm / 4 x 26 mm*	10	133.00	3670099
QF High Rating	Shroud - 1 x 26 mm, Complete with MKII Surface Mounting Clip	10	60.00	3670002
QF High Rating	Shroud - 2 x 26 mm (Open / Knockout) Complete with MKII Surface Mounting Clip	10	101.00	3670004
QF High Rating	Shroud - 3 x 26 mm (Open / Knockout) Complete with MKII Surface Mounting Clip	10	125.00	3670008
QF High Rating	Shroud - 4 x 26 mm (Open / Knockout) Complete with MKII Surface Mounting Clip	10	133.00	3670006
QA, QF	Shroud - Sealing Screws	100	5.00	3670012
QA, QF	Shroud - Insert Nuts	100	2.00	2096000
QA, QF	Mini Rail - 13 mm Module, 96 Modules	10	5.00	SAMR096
Adaptor Plate	Heinemann Clip Tray to Samite	400	17.00	SAMR100
QA, QF	Insulating Clip-On / Terminal Cover	1	*1.50	2156995
QA	Safety Blank - 13 mm Module, Clips into Mini - Rail	100	13.00	SAEB000
SF, QF	Escutcheon blank - 26 mm Module, Clips into D/B Aperture	500	7.00	SFEB000
SF	Dummy - 26 mm Single Pole	50	27.00	SF1002601
QF High Rating	Surface Mounting Clips MK I - Price per 4 - way strip	40	8.00	SAAX000
SF, E-Frame	Surface Mounting Clips MK II - Price per pair (excl. sealing screws and insert nuts)	40	6.00	SFAX001
SAK	Contacting Paralleling Bars	10	14.00	3670011
Rail to Rail	Fuchs Clip Tray to Mini Rail Adaptor Plate	50	7.00	SAMR101
QAN	Clip - in Neutral Bar (Mini rail only)	50	73.00	SANB000
QF	Escutcheon Blank (6.5 mm Module) 12 x 6.5 mm Way Strip	10	24.00	2356208
QA, QF	Shroud Mounting Kit (Black)	10	29.00	3670145
QA, QF, QH	Handle Lock	1	35.00	QFAP001
QFE	Handle Lock High Rating	1	39.00	SXAP001

DIN Rail		H2		
Product	Description	Std Pack	Price ea.	Order No.
QF DIN	Shroud - 2 x 13 mm / 1 x 18 mm / 1 x 27 mm*	10	58.00	3670094
QF DIN	Shroud - 4 x 13 mm / 2 x 18 mm / 2 x 27 mm*	10	97.00	3670096
QF DIN	Shroud - 6 x 13 mm / 4 x 18 mm / 3 x 27 mm*	10	120.00	3670098
QF DIN	Shroud - 8 x 13 mm / 5 x 18 mm / 4 x 27 mm*	10	133.00	3670100
QF DIN	Busbar - 18 mm Modules, Single Phase 36 Modules	50	124.00	2121363
QF DIN	Top Busbar - 18 mm Module, Single Phase 19 Modules	50	90.00	2121381
QF DIN	Busbar - 18 mm Module, Three Phase Insulated Metre Lengths (16 x 3 - Phase)	1	1 014.00	3670121

Note: * Complete with QA MKI Surface Mounting Clip

DIN and Mini Rail **H2**

Product	Description	Std Pack	Price ea.	Order No.
QA, QF	Busbar - 13 mm Module, Single Phase 54 Modules	50	125.00	SABBM54
QA, QF	Top Busbar - 13 mm Module, Single Phase 26 Modules	50	97.00	2121380
QF	Busbar 26 mm - Modules, Single Phase 36 Modules	50	265.00	SABBM36
QA, QF	Insulating Busbar Cover - Single Phase	1	31.00	2176081
QA, QF	Busbar - 13 mm Module, Three Phase Insulated Metre Lengths (25 x 3 - Phase)	1	1 014.00	3670010
QF	Busbar - 26 mm Module, Three Phase Insulated Metre Lengths (13 x 3-Phase)	1	1 008.00	3670009
QA, QF	Busbar Link	50	13.00	SABL000
SF	Extended Lug Terminal	50	15.00	3190166
SA, SF, SH	Handle Locking Mechanism (Hylock)	10	32.00	SAAP001
QA / QF	Busbar 13mm single phase + neutral	1	307.00	3190858



Cascading Panel Labels **H2**

Product	Description	Std Pack	Price ea.	Order No.
Small	Cascade Panel Label	1	9.00	2946A216
Large	Cascade Panel Label	1	38.00	2946A246



QAT-TRDM ECU SAK

Auxiliary Products

Electronic Time Switch (Dual mount) **H2**

Product	Description	Std Pack	Price ea.	Order No.
QAT-TRDM	Standard Touch Screen Electronic Time Switch with 24 Hour Reserve Dual Mount 39 mm width, escutcheons - Mini rail 57mm or DIN rails 45mm	10	480.00	QAT-TRDM

Energy Control Unit (Electronic)* **H2**

Product	Description	Std Pack	Price ea.	Order No.
SA-ECU	5,10,15,20 A Units, switches 21 A resistive load @ 230 V AC (5 kW)	10	508.00	SACU0..
	25,30,40,60 A Units switches 21 A resistive load @ 230 V AC (5 kW)	5	508.00	SACU0..

Domestic Contactor (4 Pole Bridged Unit) **H2**

Product	Description	Std Pack	Price ea.	Order No.
SAK	Contactor 220 / 240 V AC - 4 Poles AC3 (Inductive Load) - Max 13 A AC1 (Resistive Load) - Max 40 A	5	1 012.00	SAKR001

Note: Amp rating is switching point

Note: Bridge can easily be removed



Plastic Pole Mounting Box				H2
Product	Description	Std Pack	Price ea.	Order No.
SPBI	Plastic Pole Mounting Box Complete with One Operating Slide (Excludes Mounting Bracket MCBs, will accept 1, 2, 3-Pole MCBs Type QF, SF, and QH)	10	321.00	SPBI001
SPBI Kit-B	Horizontal Mounting Bracket - Ferrous	10	38.00	3674000
SPBI Kit-D	Vertical Mounting Bracket - Ferrous	10	47.00	3674001
SPBI Kit-E	Vertical Mounting Bracket - Non Ferrous	10	112.00	3670022
SPBI Kit-F	Horizontal / Vertical Mounting Bracket - Ferrous	10	80.00	3674002
SPBI Kit-G	Horizontal / Vertical Mounting Bracket - Non Ferrous	10	217.00	3670024
SPBI Kit-HP	Strapping Bracket - Non-Ferrous	10	38.00	3670025
SPBI Slide	Operating Slide with Hole Plug	10	27.00	2166100



Ready Boards*

Ready Boards			L1
Order No.	Description	Price ea.	
Ready board NRBCON002	1 x QA 17C 63 A 2 x QA -I (13) 20 A 3 x 16 A switched sockets 1 x 6 A Euro socket	902.00	
Ready board NRBCON003	1 x QA 17C 63 A 2 x QA -I (13) 20 A 1 x switched bulkhead 3 x 16 A switched sockets 1 x 6 A Euro socket	966.00	

* Note: Other variations on request, including a CFL version Bulkhead



Architrave Board



20-Way DB Board



12-Way DB Board

	Open / Blank
20 Way:	16 + 4
12 Way:	10 + 2

Distribution Boards

Flush Mounting Distribution Boards H2

Description	Std Pack	Price ea.	Order No.
12-Way Steel Distribution Board, complete with 1 Plastic Cover and 1 Steel Tray (Mini Rail)	1	210.00	DBBOX12SP
12-Way Steel Distribution Board, complete with 1 Steel Cover and 1 Steel Tray (Mini Rail)	1	210.00	3190796
20-Way Steel Distribution Board, complete with 1 Plastic cover and 1 Steel tray (Mini Rail)	1	288.00	DBBOX20SP
20-Way Front Cover (including hinged dust cover)	1	60.00	3670107
20-Way Steel Distribution Board, complete with 1 Steel cover and 1 Steel tray (Mini Rail)	1	327.00	3190795

Surface Mount Distribution Boards H2

Description	Std Pack	Price ea.	Order No.
13-Way Surface Mount Plastic Distribution Board (Mini Rail)	1	255.00	NDBCON001

Architrave Boards H2

Description	Std Pack	Price ea.	Order No.
40-Way (2 x 20-Way and Tray) ¹	1	1 279.00	DBBOX40
60-Way (3 x 20-Way and Tray) ¹	1	1 564.00	DBBOX60

Note:

¹Complete with reversible door, lockable metal latch, metal hinges, earth and neutral bars, mounting kit and manufacturing in 1.2 & 1.0 mm mild steel & powder coated white.

Circuit Breaker Selection Guide

QA-N-2(13)
(1 pole + neutral combination)

- Protects against overloads and short circuit faults up to 3 kilo Amps (kA)
- Typical usage
 - Main switch disconnecter
 - Isolate live and neutral

QFL SPD
(Surge Protective Device)

- Protects appliances from overvoltage surges e.g. lightning

QAT-TRDM
(Electronic Time Switch)

- Control lights, pool pumps, geysers etc
- Compact size
- Clips on Mini and DIN rails inside DBs
- Simple settings of time and programmes
- Setting intervals: 15 minutes
- Power failure reserve of up to 24 hours (QAT-TRDM)
- LCD touch-screen display
- Programme can be bypassed
- Terminals can accommodate up to 16 mm² cable

Ecolec EC320
(Electronic Kilo-Watt Hour Meter)
Measures energy consumption

QA17 - 3 kA EL
(Earth Leakage Unit)

- Protects life and property from electrical shock and fire hazards

3 kA MCB
(Miniature Circuit Breaker)
(Available 5 A - 63 A)

- Protects against overloads and short circuit faults up to 2,5 kiloAmps (kA)
- Typical usage
 - Lights
 - Plugs

ECU
(Energy Control Unit)

- Used for load shedding by controlling non-essential loads (e.g. geyser, underfloor heating)
Example: stove = controlling appliance
geyser = controlled appliance
- Maximum controlled load (AC1=21 A, MAX 4 kW Geyser)
Automatically controls household energy loads during peak periods